

SOLID SURFACE COUNTER TOPS thick- ness 12 mm

Countertops in acrylic Solid Surface, composed of acrylic resin (PMMA), natural minerals (ATH), and pigments, offering a non-porous, seamless, antibacterial, thermoformable, and highly resistant surface.




White solid



Black slate



White marble



Terrazo Natura




Order forms necessary
for custom countertops.




CE Marking

Countertop basin




Semi-recessed basin




AVAILABLE FINISHES

Standard	R10 mm
To the wall	R0 mm
Curve	R135 mm


Colonne



Towel bar



Extra deep



COUNTER TOPS WITH SKIRTING

Countertops in acrylic Solid Surface, composed of acrylic resin (PMMA), natural minerals (ATH), and pigments, offering a non-porous, seamless, antibacterial, thermoformable, and highly resistant surface.



White solid




Order forms necessary for custom countertops.





CE Marking

Countertop basin



Semi-recessed basin



LAGO

Countertops in acrylic Solid Surface, composed of acrylic resin (PMMA), natural minerals (ATH), and pigments, offering a non-porous, seamless, antibacterial, thermoformable, and highly resistant surface.



White solid




Order forms necessary for custom countertops.




CE Marking

Lago Essencial



(P) 600 / 700 / 800
900 / 1000


Lago Plus




*P460 (600, 700, 800, 900, 1000)
*P560 (800, 1000, 1100)

AVAILABLE FINISHES


Standard	R10 mm
To the wall	R0 mm
Curve	R135 mm



Towel bar




Extra deep



LAGO


Lago Plus with skirting



Fittings

Wall mounting system included.

- 600 / 1200: 2 adjustable supports + 1 bracket
- 1201 / 1600: 3 adjustable supports + 2 brackets
- 1601 / 2500: 4 adjustable supports + 3 brackets



NAILA

Countertops in acrylic Solid Surface, composed of acrylic resin (PMMA), natural minerals (ATH), and pigments, offering a non-porous, seamless, antibacterial, thermoformable, and highly resistant surface.



White solid





Order forms necessary for custom countertops.





CE Marking

Naila Essencial




Naila Plus




AVAILABLE FINISHES


Standard	R10 mm
To the wall	R0 mm
Curve	R135 mm



Towel bar




Extra deep



NAILA

Naila Plus with skirting



Fittings

Wall mounting system included.

- 600 / 1200: 2 adjustable supports + 1 bracket
- 1201 / 1600: 3 adjustable supports + 2 brackets
- 1601 / 2500: 4 adjustable supports + 3 brackets

