

COUNTER TOP - Counter tops with a thickness of 16 mm



Exterior finishes



Technical Characteristics


Front & side panels (Thickness=16mm):

- Gloss White: Laminated particle board lacquered with UV high gloss polyester paint.
- Natural, African oak, Walnut Oak, Gloss White, White Satin, Black Satin, Blue Satin, Green Satin, Red Satin: Laminated particle board.

Internal structure panels (Thickness=16mm): Laminated particle board.

- * All the panels used in the manufacture of this unit are classed as E-05 grade with low level of formaldehyde content.
- *Trim varies according to design: PVC, ABS (edged with PUR glue)

Dimensions



Top basins for combination

Top basins:

Altiro, Kandy, Lokum, Lisboa, Carla, Varmega.

Packaging dimensions and weight

	600	700	800	900	1000	1200	1400
Lenght (mm)	655	755	825	955	1025	1255	1455
Depth (mm)	495	495	481	495	481	515	515
Height (mm)	40	40	60	40	60	95	95
Net weight (kg)	3	3,5	4	4,5	5,2	6,2	7,2
Gross weight (kg)	3,5	4	4,8	5,1	5,9	7,2	8,4

ATTILA - Vanity 2 drawers - 600/700/800/1000/1200 (2x600)/1400(2x700)



STANDARD
EN 717-1



DAMPED
CLOSING



WOODEN
DRAWER



RUNNERS
HETTICH

Exterior finishes



Natural



African
Oak



Walnut
Maya



Grey Satin
NCS S 5502-Y
RAL 7038



White Satin
RAL 9016



Black Satin
Pantone Black 6C
RAL 000 15 00



Blue Satin
Pantone 539C
RAL 5011



Green Satin
Pantone 4222C
RAL 120 50 10



Red Satin
Pantone 7608U
RAL 040 40 40

Interior



Onix

Technical characteristics

Front/side Panels (e=16 mm):

- Laminated particle board. PVC edging "Testa" design with PUR glue.

Internal Structure Panels (e=16mm):

- Laminated particle board onix finish.

*All panels used in the manufacture of this unit are classed as E-1 grade with low level of formaldehyde content.

*Trim varies according to design: PVC, ABS (edged with PUR glue)

Metal fitting

Handles: Lacquered aluminum handle .


Drawers: Wooden drawer with concealed partial extraction runner with soft closing and height adjustment. Maximum load capacity. 25 Kg

Cabinet hangers: Heavy duty hanger with three independent adjustments accessible from the front. Load capacity 70Kg.

Vanity dimensions and package weight

	600	700	800	1000
Länge mm.	660	760	860	1060
Tiefe mm.	510			
Höhe mm.	610			
Nettogewicht kg.	23,2	23,4	27,1	31,6
Bruttogewicht kg.	25,3	25,5	30,2	34,7


Vanity dimensions



Compatible Washbasins

- 600/700/800/1000: Ibon
- 1200: Ibon double sink
- 1200: Ibon shifted left and right
- 1400: Toscana double sink

Free space for water pipe



Recommended height for inset sink
(*) Height for countertop sink

ATTILA - Vanity 3 drawers - 600/800/1000/1200 (2x600)



STANDARD
EN 717-1



DAMPED
CLOSING



WOODEN
DRAWER



RUNNERS
HETTICH

Exterior finishes



Natural



African
Oak



Walnut
Maya



Grey Satin
NCS S 5502-Y
RAL 7038



White Satin
RAL 9016



Black Satin
Pantone Black 6C
RAL 000 15 00



Blue Satin
Pantone 539C
RAL 5011



Green Satin
Pantone 4222C
RAL 120 50 10



Red Satin
Pantone 7608U
RAL 040 40 40

Interior



Onix

Technical characteristics

Front/side Panels (e=16 mm):

- Laminated particle board. PVC edging "Testa" design with PUR glue.

Internal Structure Panels (e=16mm):

- Laminated particle board onix finish.

*All panels used in the manufacture of this unit are classed as E-1 grade with low level of formaldehyde content.

*Trim varies according to design: PVC, ABS (edged with PUR glue)

Metal fitting

Handles: Lacquered aluminum handle .


Drawers: Wooden drawer with concealed partial extraction runner with soft closing and height adjustment. Maximum load capacity. 25 Kg

Legs Matt black ABS legs included.


Vanity dimensions and package weight

	600	800	1000
Length mm.	660	860	1060
Depth mm.	510		
Height mm.	890		
Net weight Kg.	27,8	33,7	38,3
Gross weight Kg.	30	36,8	41,5

Vanity dimensions



Free space for water pipe



Compatible Washbasins

- 600/800/1000: Ibon
- 1200: Ibon double sink
- 1200: Ibon shifted left and right

ATTILA - Column 300x1400



E-05
STANDARD
EN 717-1



DAMPED
CLOSING



REVERSIBLE

Exterior finishes



Natural



African
Oak



Walnut
Maya



Grey Satin
NCS S 3502-Y
RAL 7038



White Satin
RAL 9016



Black Satin
Pantone Black 6C
RAL 000 15 00



Blue Satin
Pantone 539C
RAL 5011



Green Satin
Pantone 4222C
RAL 120 50 10



Red Satin
Pantone 7608U
RAL 040 40 40

Interior



Onix

Technical characteristics

Front/side Panels (e=16 mm):

- Laminated particle board. PVC edging "Testa" design with PUR glue.

Internal Structure Panels (e=16mm):

- Laminated particle board onix finish.

*All panels used in the manufacture of this unit are classed as E-1 grade with low level of formaldehyde content.

*Trim varies according to design: PVC, ABS (edged with PUR glue)

Metal fitting

Handles: Lacquered aluminum handle .

Door and Hinges: 1 soft-close door


Hangers: Heavy duty hanger with three independent adjustments accessible from the front. Load capacity 70Kg.

Inner Trays: 4 units height adjustable wooden tray (12mm thick)

Vanity dimensions and package weight

	300 x 1400
Length mm.	330
Depth mm.	270
Height mm.	1430
Net weight Kg.	18,3
Gross weight Kg.	19,9

Vanity dimensions



Handle ATTILA

Aluminum handle.

Handle finish

INCLUDED



Matt Black



Blue Satin
Pantone 539C
RAL 5011



Red Satin
Pantone 7608U
RAL 040 40 40



Green Satin
Pantone 4222C
RAL 120 50 10

OPTIONAL



Gloss anodized



Matt Black