

## INARA - Depth 35 - 500 / 700

STANDARD  
EN 717-1SOFT  
CLOSINGWOODEN  
DRAWERHettich  
RUNNERS  
HETTICH

## Exterior finishes

Gloss  
WhiteWhite Satin  
RAL 9016

Natural

African  
Oak

## Interior finishes



Onix

## Handle finish



Matt black

## Packaging dimensions and weight

|                   | 500  | 700  |
|-------------------|------|------|
| Lenght (mm)       | 560  | 760  |
| Depth (mm)        | 445  |      |
| Height (mm)       | 610  |      |
| Net weight (kg)   | 16,1 | 19,8 |
| Gross weight (kg) | 18,1 | 22,2 |

## Technical information

Front & side panels (Thickness=16mm):

- Laminated particle board. PVC edging "Testa" design with PUR glue.
- Gloss White: Laminated particle board lacquered with UV high gloss polyester paint.

Internal structure panels (Thickness=16mm): Laminated particle board onix.

\* All the panels used in the manufacture of this unit are classed as E-05 grade with low level of formaldehyde content.

\*Trim varies according to design: PVC, ABS (edged with PUR glue)

## Fitting

Cabinet hangers: Heavy duty hanger with three independent adjustments accessible from the front. Load capacity 70Kg.

Drawers: Wooden drawer with Hettich concealed partial extraction runner with soft closing and height adjustment. Maximum load capacity 25 Kg.



Matt black

OPTIONAL




Matt brown




Matt anodized

## Dimensions



## Free space for water pipe



## NOJA - Vanity 2 doors 1 drawer - 500/700



STANDARD  
EN 717-1



SOFT  
CLOSING



WOODEN  
DRAWER



HETTICH  
RUNNERS

### Exterior finishes



Gloss  
White



White Satin  
RAL 9016



Natural



African  
Oak

### Interior



Onix

### Handle finish



Matt black

### Technical characteristics

#### Front & side panels (Thickness=16mm):

- Laminated particle board. PVC edging "Testa" design with PUR glue.
- Gloss White: Laminated particle board lacquered with UV high gloss polyester paint.

#### Internal structure panels (Thickness=16mm): Laminated particle board onix.

- \* All the panels used in the manufacture of this unit are classed as E-05 grade with low level of formaldehyde content.
- \* Trim varies according to design: PVC, ABS (edged with PUR glue)

### Metal fitting

Cabinet hangers: Heavy duty hanger with three independent adjustments accessible from the front. Load capacity 70Kg.

Hinges: 2 CLIP quick-fit hinges with 3 settings and soft closing.


Drawers: Wooden drawer with concealed partial extraction runner with soft closing and height adjustment. Maximum load capacity 25 Kg.

Door: "Soft Close" and 1 wooden shelf.


### Vanity dimensions and package weight

|                  | 500  | 700  |
|------------------|------|------|
| Length mm.       | 560  | 760  |
| Depth mm.        | 410  | 410  |
| Height mm.       | 880  | 880  |
| Net weight Kg.   | 20,2 | 25,3 |
| Gross weight Kg. | 22   | 27,4 |

### Vanity dimensions



### Free space for water pipe



Matt black

OPTIONAL



Matt brown



Matt anodized

## S35 - Integrated basin 510/710



Finish



Gloss  
White

### Packaging dimensions and weight

|                   | 500  | 700 |
|-------------------|------|-----|
| Lenght (mm)       | 530  | 730 |
| Depth (mm)        | 395  | 380 |
| Height (mm)       | 140  | 160 |
| Net weight (kg)   | 9,5  | 11  |
| Gross weight (kg) | 10,5 | 12  |

### Technical Characteristics

- High gloss white porcelain integrated basin.
- Resistant to chemical products and scratching.
- Recyclable.
- Wash basin with overflow.
- Syphon, pop-up drain stopper and tap not included.

### Basin Dimensions

\*  $\pm 10$  mm

